



[Home \(/\)](#) > [Products \(/product/\)](#) > [SIP Intercom \(/proa/\)](#) > [Akuvox R26P IP Video](#)



## Akuvox R26P IP Video Intercom

Tel

Message

Contact Us

Home

- Fashionable SIP video door phone
- Premium audio and video quality
- Real-time entrance monitoring
- Remote door opening
- SIP/ONVIF/PoE/IP65

## Online Inquiry

## Description

---

R26P is a fashionable, SIP-enabled IP video door phone. It enables real-time monitoring of an entrance area and convenient entry control. The ability of granting or denying access based on talking to and seeing your visitors as if in person, gives one a true sense of security and great peace of mind.

### Physical Features

Body material: aluminum panel

Camera: 3M pixels, with automatic lighting

Button: 1 call button

PoE IEEE802.3af

Power consumption: 12V DC input, <12W

G-sensor for tamper alarm

Enclosure rating: IP65

Installation: flush mounting or wall-mounting

Dimensions: 190x110x35mm

### Interface Features

1xRJ45 10/100M Mbps Ethernet port

Output relay: 2 relays for door opener

Relays controlled individually by DTMF tones

RS485 port

### SIP Features

SIP v1 (RFC2543), SIP v2 (RFC3261)

Line: 2 SIP accounts

### Audio Features

1 built-in microphone with IP67 rating

**Akuvox**  
 2W speaker with IP66 rating  
 Codec: G.711a, G.711p, G.722 and G.729  
 Open A Smart World  
 Speech quality: 7 kHz  
 Echo cancellation  
 Voice activity detection  
 Comfort noise generator

**Video Features**

Resolution: up to 720p  
 Image transfer rate: 720p@30fps max.  
 Camera permanently operational  
 Auto-night mode with LED illumination  
 Illumination: 0.1LUX min.  
 Auto white balance  
 Internal light sensor: image lighting during dark hours  
 Codec: H.264, MPEG-4 and MJPEG  
 Support live stream and RTSP  
 Compliance with ONVIF

**Network Features**

Static IP or DHCP  
 802.1Q VLAN  
 NTP for auto time setting

**Administration Features**

Auto-provisioning: FTP/TFTP/HTTP/HTTPS/PnP/DHCP  
 Configuration management: web-based management or auto provisioning  
 TR069  
 SNMP

**Application Scenarios**

Office door phone with on-site or hosted IP-PBX  
 Perfect for villa intercom with door access control  
 Control remote site entry over the internet

**Online Inquiry**

\*

**Akuvox**  
Content  
Open A Smart World



**Submit**

---

Previous: [Akuvox R26C IP Video Intercom \(/proa/pro3.shtml\)](/proa/pro3.shtml)

Next: [Akuvox R23C SIP Intercom \(/proa/pro5.shtml\)](/proa/pro5.shtml)

Copyright©AKUVOX All rights reserved. [Sitemap \(/map.shtml\)](/map.shtml) 

